

XXXXXX  
XXXX  
XXXXXX





XXXX  
XXXX  
XXXXXX

PANEL REINFORCEMENT

DATE	DESCRIPTION

Project No. 20XX-XXXX	Scale 1/8"=1'-0"
Drawn By XXX	Checked By XXX
Drawing No. X	XXX.XX.20XX

**P1**




PL-5, PL-6, PL-7, PL-12, PL-13, PL-14, PL-15,  
PL-18, PL-19, PL-20, PL-21, PL-22, PL-23, PL-28,  
PL-29, PL-30, PL-31, PL-36, PL-37, PL-39, PL-44,  
PL-51, PA-8, PA-30, PA-34

PL-53, PL-54

PL-55



**R1 Type**

NOTE: PANEL MESH AND SUPPLEMENTAL REBAR SHOWN REPLACES TYPICAL PANEL REINFORCEMENT AS INDICATED ON DRAWING T01 THRU T09 DATED 6/6/07 PREPARED BY KOPF CONSULTING GROUP. ADDITIONAL REINFORCEMENT REQUIRED WITH LIFTING HARDWARE, DOWELS, ANGLES, EMBED PLATES, ETC. TO BE DETAILED AND SUPPLIED BY OTHERS.




PL-2, PA-59

PL-1, PA-60




**R2 Type**







PL-8, PL-16, PL-24, PL-32, PA-14

**R3 Type**





PL-9, PL-33, PL-48, PA-9, PA-29, PA-57

**R4 Type**



**GENERAL NOTES:**

- Lap splices calculated in accordance with ACI 318 12.15 & 12.2.3.
- All welded wire reinforcement material to be deformed wire mesh manufactured in sheets in accordance with ASTM A1064.
- Cut wwr to fit at openings, penetrations and elevation changes if required.
- Fy = 80,000 psi @ 0.35% strain.



NOTE: PANEL MESH AND SUPPLEMENTAL REBAR SHOWN REPLACES TYPICAL PANEL REINFORCEMENT AS INDICATED ON DRAWING T01 THRU T09 DATED 6/6/07. PREPARED BY KOPF CONSULTING GROUP. ADDITIONAL REINFORCEMENT REQUIRED WITH LIFTING HARDWARE, DOWELS, ANGLES, EMBED PLATES, ETC. TO BE DETAILED AND SUPPLIED BY OTHERS.

- GENERAL NOTES:**
- Lap splices calculated in accordance with ACI 318 12.15 & 12.2.3.
  - All welded wire reinforcement material to be deformed wire mesh manufactured in sheets in accordance with ASTM A1064.
  - Cut wwr to fit at openings, penetrations and elevation changes if required.
  - Fy = 80,000 psi @ 0.35% strain.

XXXXXX  
XXXXXX  
XXXXXX

XXXX  
XXXX  
XXXXXX  
XXXXXX

PANEL REINFORCEMENT

DATE	DESCRIPTION
XXX.XX.20XX	XXX
X	XXX.XX.20XX

Project No. 20XX-XXXX	Scale 1/8"=1'-0"
Drawn By XXX	Checked By XXX
Drawing No.	

**P6**